

## Recommended makes and types of summer tyres

Type 356										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emissions	
Wheel size 15-inch	4.5Jx15	42	FA/RA	165 VR 15	Pirelli CN36	N4	-	-	-	356 B, all model years 356 C, all model years
	5.5Jx15	42	FA/RA	165 VR 15	Pirelli CN36	N4	-	-	-	356 C, all model years
	5.5Jx15	42	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	356 C, all model years
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	356 C, all model years
				185/70 VR 15	Pirelli CN36	N4	-	-	-	

Only in conjunction with tyre size 165 VR 15: If the wheels that are used require the use of a tube, we recommend the Michelin 15 E 13 tube.  
The tyre can also be used without a tube on all other wheels.

## Recommended makes and types of summer tyres

Type 911/912		up to 1968									
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles	
							Rolling resistance	Wet grip	Noise emissions		
15-inch	4.5 or 5.5Jx15	42	FA/RA	165 VR 15	Pirelli CN36	N4	-	-	-	911, MY '65 - '67 912, MY '66 - '68	
	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	911, MY '65 - '67 912, MY '66 - '68	
				185/70 VR 15	Pirelli CN36	N4	-	-	-		
	6Jx15	36	FA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	911, MY '65 - '67 912, MY '66 - '68	
				185/70 VR 15	Pirelli CN36	N4	-	-	-		
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C	))) 73 dB	911, MY '65 - '67 912, MY '66 - '68	
				215/60 VR 15	Pirelli CN36	N4	-	-	-		
	6Jx15	36	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C	))) 72 dB	911, MY '65 - '67 912, MY '66 - '68	
6Jx15	36	FA	195/65 R15 91W	Pirelli P 6000	N2	F	C	))) 72 dB	911, MY '65 - '67		
7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C	))) 73 dB	912, MY '66 - '68		
Type 911		as of 1969									
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles	
							Rolling resistance	Wet grip	Noise emissions		
15-inch	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	911, from MY '69	
	6Jx15	36	FA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	911, from MY '69	
				185/70 VR 15	Pirelli CN36	N4	-	-	-		
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C	))) 73 dB	911, from MY '69	
				215/60 VR 15	Pirelli CN36	N4	-	-	-		
	6Jx15	36	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C	))) 72 dB	911, from MY '69	
6Jx15	36	FA	195/65 R15 91W	Pirelli P 6000	N2	F	C	))) 72 dB	911, from MY '69		
7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C	))) 73 dB	911, from MY '69		
16-inch	6Jx16	36	FA	205/55 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	911, from MY '69	
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB		
					Pirelli P Zero Rosso	N4	G	A	) 71 dB		
	7Jx16	23,3	RA	205/55 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	911, from MY '69	
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB		
					Pirelli P Zero Rosso	N4	G	A	) 71 dB		
	6Jx16	36	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A	) 71 dB	911, from MY '69	
					Pirelli P Zero Rosso	N4	G	A	) 71 dB		
					Continental ContiSportContact	N2	F	B	) 71 dB		
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB		
	7Jx16	23,3	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B	))) 73 dB	911, from MY '69	
					Pirelli P Zero Rosso	N4	G	A	) 71 dB		
Continental ContiSportContact					N2	F	B	) 71 dB			
Michelin Pilot Exalto 2					N0	F	B	) 71 dB			
Type 911		3.0 Turbo (930), 3.0 Carrera									
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles	
							Rolling resistance	Wet grip	Noise emissions		
15-inch	6Jx15	36	FA	205/50 ZR15	Pirelli P7 Cinturato	N4	-	-	-	911 Carrera 3.0 (MY '75 - '76)	
	7Jx15	23,3	RA	225/50 ZR15	Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB		
					Pirelli P7 Cinturato	N4	-	-	-		
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB		
7Jx15	23,3	FA	205/50 ZR15	Pirelli P7 Cinturato	N4	-	-	-	911 Carrera 3.0 (MY '75 - '76) 911 3.0 Turbo (MY '75 - '76)		
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB			
8Jx15	10,6	RA	225/50 ZR15	Pirelli P7 Cinturato	N4	-	-	-			
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB		

Type 911		Turbo (930), Carrera "Turbo Look"								
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emissions	
16-inch	7Jx16	23,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A	) 71 dB	911 Turbo (MY '75 - '89) 911 Carrera "Turbo Look" (MY '85 - '86)
					Pirelli P Zero Rosso	N4	G	A	) 71 dB	
					Continental ContiSportContact	N2	F	B	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
	8Jx16	10,6	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B	) 73 dB	
					Pirelli P Zero Rosso	N4	G	A	) 71 dB	
					Continental ContiSportContact	N2	F	B	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
	7Jx16	23,3	FA	205/55 ZR 16	Continental ContiSportContact	N2	F	B	) 71 dB	911 Carrera "Turbo Look"
					Pirelli P Zero Rosso	N4	G	A	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
	9Jx16	15	RA	245/45 ZR 16	Continental ContiSportContact	N2	F	B	) 71 dB	
Pirelli P Zero Rosso					N4	G	A	) 71 dB		
Pirelli P Zero Trofeo R <sup>1)</sup>					N0	F	B	) 71 dB		

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:  
V = 240 km/h (150 mph)  
W = 270 km/h (170 mph)

1) Ultra High Performance tyres

Only in conjunction with tyre size 165 VR 15: If the wheels that are used require the use of a tube, we recommend the Michelin 15 E 13 tube. The tyre can also be used without a tube on all other wheels.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacture's certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 914/6										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emissions	
Wheel size 15-inch	5.5Jx15	42	FA/RA	165 VR 15	Pirelli CN36	N4	-	-	-	914/6, MY '70 - '72
	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	914/6, MY '70 - '72
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
	6Jx15	36	FA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	914/6, MY '70 - '72
				185/70 VR 15	Pirelli CN36	N4	-	-	-	
				7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	
	215/60 VR 15	Pirelli CN36	N4				-	-	-	
	6Jx15	36	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C	))) 72 dB	914/6, MY '70 - '72
	6Jx15	36	FA	195/65 R15 91W	Pirelli P 6000	N2	F	C	))) 72 dB	914/6, MY '70 - '72
	7Jx15	23,3	RA	215/60 R15 94W	Pirelli P 6000	N2	F	C	))) 73 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:  
V = 240 km/h (150 mph)  
W = 270 km/h (170 mph)

Only in conjunction with tyre size 165 VR 15: If the wheels that are used require the use of a tube, we recommend the Michelin 15 E 13 tube. The tyre can also be used without a tube on all other wheels.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturers certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 924										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emissions	
Wheel size 15-inch	6Jx15	36	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	924 Turbo, MY '79 - '82
				185/70 VR 15	Pirelli CN36	N4	-	-	-	924 Carrera GT, MY '81
	7Jx15	23,3	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C	))) 72 dB	924 Turbo, MY '79 - '82 924 Carrera GT, MY '81
	7Jx15	23,3	FA/RA	215/60 R15 94W	Pirelli P 6000	N2	F	C	))) 73 dB	924 Turbo, MY '79 - '82
				215/60 VR 15	Pirelli CN36	N4	-	-	-	924 Carrera GT, MY '81
Wheel size 16-inch	6Jx16	52.3/ 53	FA/RA	205/55 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	924 Turbo, MY '79 - '82 924 S, MY '86 - '88
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB	
					P Zero Rosso	N4	G	A	) 71 dB	
	6Jx16	52.3/ 53	FA	205/55 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	924 Turbo, MY '79 - '82 924 S, MY '86 - '88
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB	
					P Zero Rosso	N4	G	A	) 71 dB	
	7Jx16	52.3/ 55	RA	205/55 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB	
					P Zero Rosso	N4	G	A	) 71 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:  
V = 240 km/h (150 mph)  
W = 270 km/h (170 mph)

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacture's certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 928										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emissions	
<b>Wheel size 16-inch</b>	7Jx16	65	FA/RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B	))) 73 dB	928, MY '78 - '82 928 S, MY '80 - '86
					P Zero Rosso	N4	G	A	) 71 dB	
					Continental ContiSportContact	N2	F	B	) 71 dB	
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
	7Jx16	65	FA	225/50 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	928 S4, CS, GT '89
					P Zero Rosso	N4	G	A	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
	8Jx16	52,3	RA	245/45 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	
					P Zero Rosso	N4	F	A	) 71 dB	
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB		
<b>Wheel size 17-inch</b>	7.5 Jx17	65	FA	225/45 ZR17	Michelin Pilot Sport 2	N3	F	A	) 70 dB	928 S4, CS, GT '89, GTS
					P Zero Rosso	N3	G	A	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
	9Jx17	55	RA	255/40 ZR17	Michelin Pilot Sport 2	N3	E	A	) 70 dB	
					P Zero Rosso	N3	E	A	) 72 dB	
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB		

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacture's certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 944												
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles		
							Rolling resistance	Wet grip	Noise emissions			
Wheel size 15-inch	7Jx15	23,3	FA/RA	185/70 R15 89W	Pirelli P 6000	N2	F	E	))) 71 dB	944, MY '82 - '86		
				185/70 VR 15	Pirelli CN36	N4	-	-	-			
	7Jx15	23,3	FA/RA	195/65 R15 91W	Pirelli P 6000	N2	F	C	))) 72 dB	944, MY '82 - '86		
				215/60 R15 94W	Pirelli P 6000	N2	F	C	))) 73 dB			
8Jx15	10,6	RA	215/60 VR 15	Pirelli CN36	N4	-	-	-	944, MY '82 - '86			
			215/60 R15 94W	Pirelli P 6000	N2	F	C	))) 73 dB				
				215/60 VR 15	Pirelli CN36	N4	-	-	-			
Wheel size 16-inch	7Jx16	23,3	FA/RA	205/55 ZR16	Michelin Pilot Exalto 2	N0	F	B	) 71 dB	944, MY '82 - '86		
					Continental ContiSportContact	N2	F	B	) 71 dB			
					P Zero Rosso	N4	G	A	) 71 dB			
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB			
	7Jx16	23,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A	) 71 dB	944, MY '82 - '86 944 Turbo, MY '85 - '86		
					P Zero Rosso	N4	G	A	) 71 dB			
					Continental ContiSportContact	N2	F	B	) 71 dB			
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB			
	8Jx16	23,3	RA	225/50 ZR16	Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB			
					Pirelli P Zero Asimmetrico	N3	F	B	))) 73 dB			
					P Zero Rosso	N4	G	A	) 71 dB			
					Continental ContiSportContact	N2	F	B	) 71 dB			
				Michelin Pilot Exalto 2	N0	F	B	) 71 dB				
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB				
7Jx16	52.3/ 55	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A	) 71 dB	944, MY '87 - '89 944 S, MY '87 - '88 944 S2, MY '89 - '91			
				P Zero Rosso	N4	G	A	) 71 dB				
				Continental ContiSportContact	N2	F	B	) 71 dB				
				Michelin Pilot Exalto 2	N0	F	B	) 71 dB				
8Jx16	52.3/ 52	RA	225/50 ZR16	Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB				
				Pirelli P Zero Asimmetrico	N3	F	B	))) 73 dB				
				P Zero Rosso	N4	G	A	) 71 dB				
				Continental ContiSportContact	N2	F	B	) 71 dB				
				Michelin Pilot Exalto 2	N0	F	B	) 71 dB				
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB				
7Jx16	65	FA	225/50 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	944 S2 R01 chassis			
				P Zero Rosso	N4	G	A	) 71 dB				
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB				
9Jx16	60	RA	245/45 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB				
				P Zero Rosso	N4	F	A	) 71 dB				
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB				
Wheel size 17-inch	7.5 Jx17	65	FA	225/45 ZR17	Michelin Pilot Sport 2	N3	F	A	) 70 dB	944, MY '87 - '89 944 S, MY '87 - '88 944 S2, MY '89 - '91		
					P Zero Rosso	N3	G	A	) 71 dB			
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB			
	9Jx17	55	RA	255/40 ZR17	Michelin Pilot Sport 2	N3	E	A	) 70 dB	944 Turbo, MY '87 - '91		
					P Zero Rosso	N3	E	A	) 72 dB			
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB				

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 959										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emissions	
<b>Wheel size</b>	8Jx17 DL	44	FA	235/45 ZR17	Bridgestone RE 71	N0	F	F	))) 80 dB	959
<b>17-inch</b>	10Jx17 DL	28,3	RA	255/40 ZR17	Bridgestone RE 71	N0	F	F	))) 80 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/matrix certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 964														
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles				
							Rolling resistance	Wet grip	Noise emissions					
16-inch	6Jx16	52/ 52,3	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A	) 71 dB	964 Carrera 2, MY '90 - '94 964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92 964 Speedster, MY '93 & '94				
					P Zero Rosso	N4	G	A	) 71 dB					
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB					
					Continental ContiSportContact	N2	F	B	) 71 dB					
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB					
	8Jx16	52/ 52,3	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B	) 73 dB					
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB					
					Continental ContiSportContact	N2	F	B	) 71 dB					
					P Zero Rosso	N4	G	A	) 71 dB					
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB					
7Jx16	55	FA	205/55 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92					
				P Zero Rosso	N4	G	A	) 71 dB						
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
				9Jx16 *)	52,3	RA	245/45 ZR16	Continental ContiSportContact		N2	F	B	) 71 dB	
								P Zero Rosso		N4	F	A	) 71 dB	
Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B					) 71 dB						
17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A	) 71 dB	964 Carrera 2, MY '90 - '94 964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92 964 Speedster, MY '93 & '94				
					Continental ContiSportContact2	N2	G	B	) 71 dB					
					Michelin Pilot Sport 2	N3	F	A	) 72 dB					
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB					
	8Jx17	52	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	E	A	) 72 dB					
					Continental ContiSportContact2	N2	G	B	) 72 dB					
					Michelin Pilot Sport 2	N3	E	A	) 70 dB					
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB					
7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A	) 71 dB	964 Carrera 2, MY '90 - '94 964 Carrera 4, MY '89 - '94 964 Carrera RS, MY '92 964 Speedster, MY '93 & '94					
				Continental ContiSportContact2	N2	G	B	) 71 dB						
				Michelin Pilot Sport 2	N3	F	A	) 72 dB						
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
9Jx17	55	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	E	A	) 72 dB						
				Continental ContiSportContact2	N2	G	B	) 72 dB						
				Michelin Pilot Sport 2	N3	E	A	) 70 dB						
				Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
Type 964 Turbo														
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles				
							Rolling resistance	Wet grip	Noise emissions					
17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A	) 71 dB	964 Turbo, MY '91 & '92 964 Turbo S, MY '92 964 C2 "Turbo Look" '92 - '93 964 C4 "Turbo Look" '93 & '94				
					Continental ContiSportContact2	N2	G	B	) 71 dB					
					Michelin Pilot Sport 2	N3	F	A	) 72 dB					
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB					
	9Jx17	55	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	E	A	) 72 dB					
					Continental ContiSportContact2	N2	G	B	) 72 dB					
					Michelin Pilot Sport 2	N3	E	A	) 70 dB					
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB					
8Jx17	52	FA	225/45 ZR17	Bridgestone S01 **)	N0	-	-	-	964 Turbo, MY '91 & '92					
9.5Jx17 *)	68	RA	275/35 ZR17	Bridgestone S01 **)	N0	F	C	) 73 dB	964 Turbo S, MY '92 964 C2 "Turbo Look" '92 - '93 964 C4 "Turbo Look" '93 & '94					
18-inch	8Jx18	52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB	964 Turbo 3.6, MY '93 & '94				
					Bridgestone Potenza S-02A	N3	G	C	) 70 dB					
					Continental ContiSportContact2	N2	G	B	) 71 dB					
					Michelin Pilot Sport 2	N3	F	A	) 70 dB					
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB					
	10Jx18	65/ 61	RA	265/35 ZR18	Pirelli P Zero Rosso	N4	E	A	) 72 dB					
					Bridgestone Potenza S-02A	N3	F	C	) 72 dB					
					Continental ContiSportContact2	N2	G	B	) 72 dB					
					Michelin Pilot Sport 2	N3	F	A	) 70 dB					
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB					

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

\*) 17-mm spacers on rear axle.

\*\*\*) Production of this tyre was discontinued. A successor is currently being developed.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/matrix certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 968										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emissions	
Wheel size 17-inch	7.5Jx17	65	FA	225/45 ZR17	Bridgestone Potenza S-02	N3	G	C	))) 72 dB	968, MY '92 - '95 968 CS, MY '93 - '95
					Michelin Pilot Sport 2	N3	F	A	) 70 dB	
					P Zero Rosso	N3	G	A	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
	9Jx17	55	RA	255/40 ZR17	Bridgestone Potenza S-02	N3	F	C	) 71 dB	
					Michelin Pilot Sport 2	N3	E	A	) 70 dB	
					P Zero Rosso	N3	E	A	) 72 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
Type 968 Turbo S										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emissions	
Wheel size 18-inch	8Jx18	53	FA	235/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB	968 Turbo S, MY '93
	10Jx18	65	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	E	A	) 73 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/matrix certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 993															
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles					
							Rolling resistance	Wet grip	Noise emissions						
Wheel size 16-inch	7Jx16	55	FA	205/55 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB	993 Carrera, MY '94 - '98					
					P Zero Rosso	N4	G	A	) 71 dB						
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
	9Jx16	70	RA	245/45 ZR16	Continental ContiSportContact	N2	F	B	) 71 dB						
					P Zero Rosso	N4	F	A	) 71 dB						
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
Wheel size 17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A	) 71 dB	993 Carrera, MY '94 - '98 993 Carrera RS, '95 & '96 993 Carrera S, MY '97 & '98					
					Bridgestone Potenza S-02A	N4	F	C	) 71 dB						
					Continental ContiSportContact2	N2	G	B	) 71 dB						
					Michelin Pilot Sport 2	N3	F	A	) 72 dB						
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
					Pirelli P Zero Rosso	N3	E	A	) 72 dB						
	9Jx17	55	RA	255/40 ZR17	Bridgestone Potenza S-02A	N4	F	C	) 72 dB						
					Continental ContiSportContact2	N2	G	B	) 72 dB						
					Michelin Pilot Sport 2	N3	E	A	) 70 dB						
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
					Wheel size 18-inch	8Jx18	50/ 52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB	993, MY '94 - '98 993 Carrera RS, '95 & '96 <u>Not:</u> Targa, Cabriolet before '96
										Bridgestone Potenza S-02A	N3	G	C	) 70 dB	
Continental ContiSportContact2	N2	G	B	) 71 dB											
10Jx18	65	RA	265/35 ZR18	Pirelli P Zero Trofeo R <sup>1)</sup>		N0	F	B	) 71 dB						
				Pirelli P Zero Rosso		N4	E	A	) 72 dB						
				Bridgestone Potenza S-02A		N3	F	C	) 72 dB						
Continental ContiSportContact2	N2	G	B	) 72 dB											
Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB											
Type 993 GT 2															
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles					
							Rolling resistance	Wet grip	Noise emissions						
Wheel size 18-inch	8Jx18	52	FA	235/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB	993 GT 2, MY '96 - '97					
	10Jx18	40	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	E	A	) 73 dB						
	10Jx18	40	RA	295/30 ZR18	Pirelli P Zero Rosso	N4	F	F	) 80 dB						
Type 993 Turbo															
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles					
							Rolling resistance	Wet grip	Noise emissions						
Wheel size 18-inch	8Jx18	52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB	993 Turbo 993 Carrera S 993 Carrera 4S 993 Turbo Look					
					Bridgestone Potenza S-02A	N3	G	C	) 70 dB						
					Continental ContiSportContact2	N2	G	B	) 71 dB						
					Michelin Pilot Sport 2	N3	F	A	) 70 dB						
					Pirelli P Zero Rosso	N4	E	A	) 73 dB						
					Bridgestone Potenza S-02A	N3	G	C	) 73 dB						
	10Jx18	40/ 65*)	RA	285/30 ZR18	Continental ContiSportContact2	N2	G	B	) 74 dB						
					Michelin Pilot Sport 2	N3	E	A	) 74 dB						

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

\*) 25-mm spacers on rear axle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacturer's certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 986										
	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles
							Rolling resistance	Wet grip	Noise emissions	
Wheel size 16-inch	6Jx16	50	FA	205/55 ZR16	Pirelli P Zero Direzionale	N3	E	A	) 71 dB	986, all
					P Zero Rosso	N4	G	A	) 71 dB	
					Michelin Pilot Exalto 2	N0	F	B	) 71 dB	
					Continental ContiSportContact	N2	F	B	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
	7Jx16	40	RA	225/50 ZR16	Pirelli P Zero Asimmetrico	N3	F	B	) 73 dB	
					P Zero Rosso	N4	G	A	) 71 dB	
					Michelin Pilot Exalto 2	N0	C	C	) 71 dB	
					Continental ContiSportContact	N2	F	B	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
Wheel size 17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A	) 71 dB	986, all 986 S, all
					Bridgestone Potenza S-02A	N4	F	C	) 71 dB	
					Bridgestone Potenza S-02	N3	G	C	) 71 dB	
					Continental ContiSportContact2	N2	G	B	) 71 dB	
					Michelin Pilot Sport 2	N3	F	A	) 72 dB	
	8.5Jx17	50/ 48	RA	255/40 ZR17	Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
					Pirelli P Zero Rosso	N3	E	A	) 72 dB	
					Bridgestone Potenza S-02A	N4	F	C	) 72 dB	
					Bridgestone Potenza S-02	N3	G	C	) 71 dB	
					Continental ContiSportContact2	N2	G	B	) 72 dB	
Wheel size 18-inch	7.5Jx18	50	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB	986, from MY '98 986 S, all
					Bridgestone Potenza S-02A	N3	G	C	) 70 dB	
					Continental ContiSportContact2	N2	G	B	) 71 dB	
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB	
					9Jx18	52	RA	265/35 ZR18	Pirelli P Zero Rosso	
	Bridgestone Potenza S-02A	N3	F	C					) 72 dB	
	Continental ContiSportContact2	N2	G	B					) 72 dB	
	Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B					) 71 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacture's certificates held by the Porsche partners.

## Recommended makes and types of summer tyres

Type 996															
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles					
							Rolling resistance	Wet grip	Noise emissions						
17-inch	7Jx17	55	FA	205/50 ZR17	Pirelli P Zero Rosso	N3	E	A	) 71 dB	996 C2/C4 up to MY '01					
					Bridgestone Potenza S-02A	N4	F	C	) 71 dB						
					Continental ContiSportContact2	N2	G	B	) 71 dB						
					Michelin Pilot Sport 2	N3	F	A	) 72 dB						
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
	9Jx17	55	RA	255/40 ZR17	Pirelli P Zero Rosso	N3	E	A	) 72 dB						
					Bridgestone Potenza S-02A	N4	F	C	) 72 dB						
					Continental ContiSportContact2	N2	G	B	) 72 dB						
					Michelin Pilot Sport 2	N3	E	A	) 70 dB						
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
18-inch	7.5Jx18	50	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB	996 C2/C4 up to MY '01					
					Bridgestone Potenza S-02A	N3	G	C	) 70 dB						
					Continental ContiSportContact2	N2	G	B	) 71 dB						
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
	10Jx18	65	RA	265/35 ZR18	Pirelli P Zero Rosso	N4	E	A	) 72 dB						
					Bridgestone Potenza S-02A	N3	F	C	) 72 dB						
					Continental ContiSportContact2	N2	G	B	) 72 dB						
					Pirelli P Zero Trofeo R <sup>1)</sup>	N0	F	B	) 71 dB						
	8Jx18	50/ 52	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB		996 C2/C4 from MY '02				
					Bridgestone Potenza S-02A	N3	G	C	) 70 dB						
					Continental ContiSportContact2	N2	G	B	) 71 dB						
					Michelin Pilot Sport 2	N3	F	A	) 70 dB						
10Jx18	65	RA	285/30 ZR18	Pirelli P Zero Rosso	N4	E	A	) 73 dB							
				Bridgestone Potenza S-02A	N3	G	C	) 73 dB							
				Continental ContiSportContact2	N2	G	B	) 74 dB							
				Michelin Pilot Sport 2	N3	E	A	) 74 dB							
Type 996 Turbo															
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles					
							Rolling resistance	Wet grip	Noise emissions						
18-inch	8Jx18	53	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB	996 Turbo/S					
					10Jx18	65	RA	285/30 ZR18	Pirelli P Zero Rosso		N4	E	A	) 73 dB	
	8Jx18	50	FA	225/40 ZR18	Pirelli P Zero Rosso	N4	E	A	) 71 dB						
					Continental ContiSportContact2	N2	G	B	) 71 dB						
					Michelin Pilot Sport 2	N3	F	A	) 70 dB						
	11Jx18	45	RA	295/30 ZR18	Pirelli P Zero Rosso	N4	E	A	) 73 dB						
					Continental ContiSportContact2	N2	G	B	) 74 dB						
					Michelin Pilot Sport 2	N3	E	A	) 74 dB						
	Type 996 911 GT2														
	Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles				
Rolling resistance								Wet grip	Noise emissions						
18-inch	8.5Jx18	40	FA	235/40 ZR18	Michelin Pilot Sport 2	N4	F	B	) 70 dB	996 GT2, from MY '01 - '05					
					P Zero Rosso	N4	E	A	) 71 dB						
	12Jx18	45	RA	315/30 ZR18	Michelin Pilot Sport 2	N4	E	A	) 74 dB						
					P Zero Rosso	N4	E	A	) 74 dB						
Type 996 911 GT3/911 GT3 RS															
Wheel size	Size	RO	Axles	Tyre size	Tread designation	Spec.	EU tyre label			Vehicles					
							Rolling resistance	Wet grip	Noise emissions						
18-inch	8Jx18	50	FA	225/40 ZR18	Bridgestone Potenza S02A	N3	G	C	) 70 dB	911 GT3 up to MY '01					
					Continental ContiSportContact2	N2	G	B	) 71 dB						
					Michelin Pilot Sport 2	N3	F	A	) 70 dB						
	11Jx18	63	RA	295/30 ZR18	Bridgestone Potenza S02A	N3	F	B	) 73 dB						
					Continental ContiSportContact2	N2	G	B	) 74 dB						
					Michelin Pilot Sport 2	N3	E	A	) 74 dB						
	8.5Jx18	40	FA	235/40 ZR18	Michelin Pilot Sport 2	N4	F	B	) 70 dB		911 GT3/RS MY '04/'05				
					Pirelli P Zero Rosso	N4	E	A	) 71 dB						
					11Jx18	63	RA	295/30 ZR18	Michelin Pilot Sport 2			N4	E	A	) 74 dB
									Pirelli P Zero Rosso			N4	E	A	) 73 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

1) Ultra High Performance tyres

Further detailed information about permitted wheel and tyre sizes as well as spacers that may be required can be found in the relevant parts certificates/manufacture's certificates held by the Porsche partners.