

911/912/911 Turbo (930)

Approved makes of winter tyres

As at: 07/2016

Type 911/912 All 911/912 up to model year 1989

	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	6J x 16	36	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7J x 16	23,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	10,6	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes

Type 930 911 Turbo (930), 911 Carrera "Turbo Look"

	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	6J x 16	36	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7J x 16	23,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7J x 16	23,3	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	23,3/ 10,6	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

Exception: The tyres listed here without a specification code are also approved without restriction.

Snow-chain clearance only without spacers.

Approved makes of winter tyres

Type 914	914/6 up to model year 1972											
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	6J x 16	36	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	No
	7J x 16	23,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	No
	7J x 16	23,3	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

Exception: The tyres listed here without a specification code are also approved without restriction.

Snow-chain clearance only without spacers.

Approved makes of winter tyres

Type 924		924 Turbo up to model year 1982										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	6J x 16	52,3/53	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	No
	7J x 16	52,3/53	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	No

Type 924		924 Carrera GT										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	6J x 16	36	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7J x 16	23,3	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	10,6	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7J x 16	23,3	FA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	10,6	RA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes

Type 924		924 S										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	6J x 16	52,3/53	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	No
	7J x 16	52,3/55	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

Exception: The tyres listed here without a specification code are also approved without restriction.

Snow-chain clearance only without spacers.

Approved makes of winter tyres

Type 944 944, S, S2 up to model year 1986												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size	6J x 16	36	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
16-inch	7J x 16	23,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7J x 16	23,3	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	10,6/ 23,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
Type 944 944 Turbo up to model year 1986												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size	7J x 16	23,3	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
16-inch	8J x 16	10,6/ 23,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
Type 944 944, S, Turbo, Turbo S from 1987 to 1991 with standard or sports chassis, S2 with standard chassis												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size	7J x 16	52,3/55	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
16-inch	8J x 16	52,3/52	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
Wheel size	7.5J x 17 ^{*)}	65	FA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	9J x 17 ^{*)}	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	8J x 17 ^{*)}	52	FA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	9.5J x 17 ^{*)}	68	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
Type 944 Turbo, S2 with R01 chassis from 1987 to 1991												
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size	7J x 16	65	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	52,3/60	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7.5J x 16	65	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	52,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
Wheel size	7.5J x 17	65	FA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	8J x 17 ^{*)}	52	FA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	9.5J x 17 ^{*)}	68	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

Snow-chain clearance only without spacers.

Exception: The tyres listed here without a specification code are also approved without restriction.

^{*)} only for vehicles with sports chassis or 944 S2

^{**)} not for cabriolet vehicles

Approved makes of winter tyres

Type 968		968 without sports chassis										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	7J x 16	52,3/55	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	52,3/55	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
Wheel size 17-inch	7.5J x 17	65	FA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	8J x 17 ^{*)}	52	FA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	9.5J x 17 ^{*)}	68	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

^{*)} not for 968 Cabriolet

Snow-chain clearance only without spacers.

Approved makes of winter tyres

Type 928 928, S, S4 CS, GT, GTS up to model year 1988

	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	7J x 16	65	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	52,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7.5J x 16	65	FA/RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7J x 16	65	FA/RA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C) 72 dB	Yes
	7.5J x 16	65	FA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C) 72 dB	Yes
	8J x 16	52,3	RA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C) 72 dB	Yes
Wheel size 17-inch	7.5J x 17	65	FA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	Yes
	8J x 17	52	RA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	Yes
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No

Type 928 928, S, S4 CS, GT from 1989 to 1993

	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	7J x 16	65	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	52,3	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	7J x 16	65	FA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C) 72 dB	Yes
	8J x 16	52,3	RA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C) 72 dB	Yes
Wheel size 17-inch	7.5J x 17	65	FA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	Yes
	8J x 17	52	RA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	Yes
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No

Type 928 GTS up to model year 1993

	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 17-inch	7.5J x 17	65	FA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	Yes
	8J x 17	52	RA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	Yes
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

Snow-chain clearance only without spacers.

Exception: The tyres listed here without a specification code are also approved without restriction.

Approved makes of winter tyres

Type 964 Carrera 2, Carrera 4, Carrera RS, Speedster

	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	6J x 16	52,3/55	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	52,3/55	RA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	E	C) 72 dB	Yes
	8J x 16	52,3/55	RA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C) 72 dB	Yes
Wheel size 17-inch	7J x 17	55	FA	205/50 R17 M+S	93 V XL	Pirelli	Winter Sottozero 3	N2	E	B) 72 dB	No
	8J x 17	52	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No

Type 964 Turbo (MY 1991 – 1992), Turbo S (MY 1992), Turbo Look (MY 1991 – 1994)

	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 17-inch	7J x 17	55	FA	205/50 R17 M+S	93 V XL	Pirelli	Winter Sottozero 3	N2	E	B) 72 dB	No
	8J x 17	52	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No

Type 964 Turbo (MY 1993 – 1994)

	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 17-inch	7J x 17	55	FA	205/50 R17 M+S	93 V XL	Pirelli	Winter Sottozero 3	N2	E	B) 72 dB	No
	8J x 17	52	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
Wheel size 18-inch	8J x 18	52/50	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
	10J x 18	65/61	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

Snow-chain clearance only without spacers.

Approved makes of winter tyres

Type 993		Carrera, Carrera 4, Carrera RS										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 17-inch	7J x 17	55	FA	205/50 R17 M+S	93 V XL	Pirelli	Winter Sottozero 3	N2	E	B) 72 dB	No
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
Wheel size 18-inch ¹⁾	7.5J x 18	52	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
	8J x 18	52/50	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
	10J x 18	65	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	No

Type 993		Carrera S, Carrera 4S, Turbo, GT2										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 17-inch	7J x 17	55	FA	205/50 R17 M+S	93 V XL	Pirelli	Winter Sottozero 3	N2	E	B) 72 dB	No
	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
Wheel size 18-inch	7.5J x 18	52	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
	8J x 18	52/50	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
	10J x 18	65	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

¹⁾ not for Targa; not for Cabriolet before model year 1996

Boxster, model year 1997 to model year 2004

Approved makes of winter tyres

As at: 07/2016

Type 986		Boxster										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 16-inch	6J x 16	50	FA	205/55 R16 M+S	94 V XL	Pirelli	W240 Sottozero Serie II	N1	C	E) 72 dB	Yes
	7J x 16	40	RA	225/50 R16 M+S	96 V XL	Pirelli	W240 Sottozero Serie II	N1	C	C) 72 dB	Yes

Type 986		Boxster, Boxster S										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size 17-inch	7J x 17	55	FA	205/50 R17 M+S	93 V XL	Pirelli	Winter Sottozero 3	N2	E	B) 72 dB	Yes
	8.5J x 17	50/48	RA	225/45 R17 M+S	94 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	Yes
	7J x 17	55	FA	205/50 R17 M+S	93 V XL	Pirelli	Winter Sottozero 3	N2	E	B) 72 dB	No
	8.5J x 17	50/48	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	No
Wheel size 18-inch	7.5J x 18	50	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
	9J x 18	52	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

Snow-chain clearance is only guaranteed without spacers.

911, model year 1998 up to model year 2005

Approved makes of winter tyres

As at: 07/2016

Type 996		911 Carrera and Carrera 4 (1998 up to and incl. 2005)										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size	7J x 17	55/50	FA	205/50 R17 M+S	93 V XL	Pirelli	Winter Sottozero 3	N2	E	B) 72 dB	Yes
17-inch	9J x 17	55	RA	255/40 R17 M+S	98 V XL	Pirelli	Winter Sottozero 3	N2	C	B) 72 dB	Yes
Wheel size	7.5J x 18	50	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
18-inch	8J x 18	50/52	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
up to and incl.	10J x 18	65	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	No
MY 2001	7.5J x 18	50	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
	10J x 18	65	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	No

Type 996		911 Carrera 4S (2001 up to and incl. 2005)										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size	8J x 18	50	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	No
18-inch	10J x 18	47	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	No

Type 996		911 Turbo and GT2 (2001 up to and incl. 2005)										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size	8J x 18	50	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	Yes
18-inch	10J x 18	47	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	Yes

Type 996		911 GT3 (2000 up to and incl. 2001 and 2004 up to and incl. 2005)										
	Size	RO	Axles	Tyre size	Load&Speed index	Manufacturer	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	Snow-chain clearance
Wheel size	8J x 18	50	FA	225/40 R18 M+S	92 V XL	Pirelli	Winter Sottozero 3	N4	E	B) 72 dB	Yes
18-inch	10J x 18	65	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	Yes
	10J x 18	47	RA	265/35 R18 M+S	97 V XL	Pirelli	Winter Sottozero 3	N4	C	B) 72 dB	No

Only tyres of the same make and type and with the same specification code (N0, N1, N2, ...) can be used on a vehicle.

Speed index:
V = 240 km/h

Snow-chain clearance is only guaranteed without spacers.